

MONTAGEHINWEIS / ASSEMBLY INSTRUCTIONS


SOLID TISCH UND BANK SOLID TABLE AND BENCH



MONTAGEHINWEIS

SOLID TISCH UND BANK

1. Die Tisch- bzw. Bankplatte mit der Unterseite nach oben legen – am besten noch in der Verpackung lassen.
2. Das Stahlrohr an der Unterseite von Tisch-/Bankplatte festschrauben.
3. Bei der Positionierung des Tischbeins muß die Fußkante mit der Tisch- bzw. Bankplattenkante bündig abschließen.
4. Die quadratische Montageplatte an der Unterseite des Tischbeins anbringen.
5. Die Senkschraube (mit Innensechskant) mit dem Inbusschlüssel festdrehen.



- A** Inbusschlüssel 6 mm (Sechskant-Winkelschraubendreher)
- B** Senkschraube mit Innensechskant M 10 x 30 A2
- C** Tisch-/Bank-Bein
- D** Stahlrohr mit Innengewinde M 10
- E** Tisch- bzw. Bankplatte (Rückseite)

ASSEMBLY INSTRUCTIONS

SOLID TABLE AND BENCH

1. Leave table/bench top in carton and place it with the reverse side up.
2. Screw rod tight on reverse side of top/seat.
3. When positioning the leg, ensure that the edge of the leg is flush with the edge of the table top/bench seat.
4. Position square base plate at end of leg.
5. Tighten hexagon socket countersunk head screw, using allen wrench.

